



|                             |                      |
|-----------------------------|----------------------|
| Model                       | Superlift MX2024 A17 |
| Capacity                    | 2000kg               |
| Platform dimensions (L x W) | 1.70m x 1.40m        |
| Max lifting height          | 200m                 |
| Speed                       | 24m/min              |
| Height of mast section      | 1.5m                 |
| Weight of mast section      | 55kg                 |
| Tie spacing (Max)           | 10m                  |
| Mast top                    | 3m                   |
| Motor capacity              | 2x 7.5kW             |
| Rated supply required       | 32 Amp               |
| Electrical supply (V/Hz)    | 415 / 3 / 50         |
| Control voltage (V)         | 230                  |

### Summary

The Bocker MX2024 A17 is a robust and versatile hoist and can be configured to carry materials only, with a total capacity of up to 2000kg.

The dual mast system allows this machine to reach a higher capacity, allowing for further versatility. The compact space-saving design allows for a total of 1.70m x 1.40m of floor space.

### Product Advantages

- Twin mast design for reduced tie and base loading
- Operating height of up to 200m
- Dual controls designed for ease of operation
- Automated lubrication system
- Flexible modular construction
- Operating speed of 24m/min
- Mechanical and electrical locking mechanisms
- Robust construction & fully galvanised
- Payload of 2000kg (evenly distributed)
- Variable ties interface directly with the building or scaffold
- Scaffold Carrier option available

Single Configuration

